

Reemplace `access_token` e `instance_id` presentado en este documento , con la información disponible al interior de su acceso personal de 123envia.com



## INSTANCE API

### POST Create Instance

```
https://api.123envia.com/api/create_instance?access_token=651[REDACTED]efe96
```

Create a new Instance ID

#### PARAMS

<b>access_token</b>	651[REDACTED]efe96
---------------------	--------------------

### POST Get QR Code

```
https://api.123envia.com/api/get_qrcode?  
instance_id=609AC[REDACTED]XXX&access_token=65[REDACTED]efe96
```

Display QR code to login to Whatsapp web. You can get the results returned via Webhook

#### PARAMS

**instance\_id** 609AC[REDACTED]XXXX

**access\_token** 65[REDACTED]efe96

## POST Set Receiving Webhook

```
https://api.123envia.com/api/set_webhook?  
webhook_url=https%3A%2F%2Fwebhook.site%2F1b25464d6833784f96eef4xxxxxxxx  
xxx&enable=true&instance_id=609A[REDACTED]XXXX&access_token=65[REDACTED]efe96
```

Get all return values from Whatsapp. Like connection status, Incoming message, Outgoing message, Disconnected, Change Battery,...

### PARAMS

**webhook\_url** https://webhook.site/1b25464d6833784f96eef4xxxxxxxxxxx

**enable** true

**instance\_id** 609AC[REDACTED]XXXX

**access\_token** 651[REDACTED]efe96

## POST Reboot Instance

```
https://api.123envia.com/api/reboot?  
instance_id=609AC[REDACTED]XXX&access_token=65[REDACTED]efe96
```

Logout Whatsapp web and do a fresh scan

### PARAMS

**instance\_id** 609AC[REDACTED]XXXX

**access\_token** 651[REDACTED]efe96

## POST Reset Instance

```
https://api.123envia.com/api/reset_instance?  
instance_id=609AC[REDACTED]XXXX&access_token=651[REDACTED]efe96
```

This will logout Whatsapp web, Change Instance ID, Delete all old instance data

### PARAMS

<b>instance_id</b>	609AC[REDACTED]XXXX
<b>access_token</b>	651[REDACTED]efe96

## POST Reconnect

```
https://api.123envia.com/api/reconnect?  
instance_id=609AC[REDACTED]XXXX&access_token=651[REDACTED]efe96
```

Re-initiate connection from app to Whatsapp web when lost connection

### PARAMS

<b>instance_id</b>	609AC[REDACTED]XXXX
<b>access_token</b>	651[REDACTED]efe96

## SEND DIRECT MESSAGE API

### POST Send Text

```
https://api.123envia.com/api/send?  
number=84933313xxx&type=text&message=test+message&instance_id=609ACF28
```

```
3XXXX&access_token=65[REDACTED]efe96
```

Send a text message to a phone number through the app

## PARAMS

<b>number</b>	84933313xxx
<b>type</b>	text
<b>message</b>	test message
<b>instance_id</b>	609A[REDACTED]XXXX
<b>access_token</b>	651[REDACTED]efe96

## POST Send Media & File

```
https://api.123envia.com/api/send?  
number=84933313xxx&type=media&message=test+message&media_url=https%3A  
%2F%2Fi.pravatar.cc&filename=file_test.jpg&instance_id=609AC[REDACTED]XXXX&access  
_token=65[REDACTED]efe96
```

Send a media or file with message to a phone number through the app

## PARAMS

<b>number</b>	84933313xxx
<b>type</b>	media
<b>message</b>	test message
<b>media_url</b>	https://i.pravatar.cc
<b>filename (Just use for send document)</b>	file_test.pdf
<b>instance_id</b>	609AC[REDACTED]XXXX
<b>access_token</b>	651[REDACTED]efe96

## GROUP API

## POST Send Text Message Group

```
https://api.123envia.com/api/send_group?group_id=84987694574-1618740914%40g.us&type=text&message=test+message&instance_id=609A[REDACTED]XXXX&access_token=65[REDACTED]efe96
```

Send a text message to a group through the app

### PARAMS

<b>group_id</b>	84987694574-1618740914@g.us
-----------------	-----------------------------

<b>type</b>	text
-------------	------

<b>message</b>	test message
----------------	--------------

<b>instance_id</b>	609A[REDACTED]XXXX
--------------------	--------------------

<b>access_token</b>	65[REDACTED]efe96
---------------------	-------------------

## POST Send Media & File Message Group

```
https://api.123envia.com/api/send_group?group_id=84987694574-1618740914%40g.us&type=media&message=test+message&media_url=https%3A%2F%2Fi.pravatar.cc&filename=file_test.jpg&instance_id=609A[REDACTED]XXXX&access_token=65[REDACTED]efe96
```

Send a media or file with message to a group through the app

### PARAMS

<b>group_id</b>	84987694574-1618740914@g.us
-----------------	-----------------------------

<b>type</b>	media
-------------	-------

<b>message</b>	test message
----------------	--------------

<b>media_url</b>	https://i.pravatar.cc
------------------	-----------------------

<b>filename (Just use for send document)</b>	file_test.pdf
--	---------------

**instance\_id**

609AC[REDACTED]XXXX

**access\_token**

65[REDACTED]efe96